3 AD A 0 267 SDCS-ER-76-85

Rechnical repty

(SDCS)

SPECIAL DATA COLLECTION SYSTEM EVENT BEPORT NTS Event 'ESROM', 04 February 1976.

K.b./Hill, M.S./Dawkins, R.R./Baumstark Alexandria Laboratories

Teledyne Geotech, 314 Montgomery Street, Alexandria, Virginia 22314

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

Sponsored By

The Oefense Advanced Research Projects Agency

Nuclear Monitoring Research Office

1400 Wilson Boulevard, Arlington, Virginia 22209

F08606-74-C-0013, VARPA Order 2897

Monitored By **VELA Seismological Center**

312 Montgomery Street, Alexandria, Virginia 22314

HOE GOIN

Disclamer Neither the Defense Advenced Research Projects Agency nor the Air Force Technical Applications Center will be responsible for information contained herein which here been supplied by other organizations or contractors, and this document is subject to leter revision as may be necessary. The views and conclusions presented are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Defense Advenced. Research Projecte Agency, the Air Force Technical Applications Center, or the US Government.

17

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

| REPORT DOCUMENTATION PAGE | READ INSTRUCTIONS BEFORE COMPLETING FORM | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|
| 1. REPORT NUMBER 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER | | | | | | | | |
| SDCS-ER-76-85 | | | | | | | | | |
| 4. TITLE (and Subtitle) | 5. TYPE OF REPORT & PERIOD COVERED | | | | | | | | |
| SPECIAL DATA COLLECTION SYSTEM (SDCS) | Technical | | | | | | | | |
| NTS Event "ESROM", 04 February 1976 | 6. PERFORMING ORG. REPORT NUMBER | | | | | | | | |
| 7. AUTHOR(•) | B. CONTRACT OR GRANT NUMBER(#) | | | | | | | | |
| Hill, K. J., Dawkins, M. S., Baumstark, R. R. | F08606-74-C-0013 | | | | | | | | |
| and Gillispie, M. D. | , | | | | | | | | |
| 9. PERFORMING ORGANIZATION NAME AND ACCRESS | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS | | | | | | | | |
| Teledyne Geotech | T/4703 | | | | | | | | |
| 314 Montgomery Street | 1/4/03 | | | | | | | | |
| Alexandria, Virginia 22314 | | | | | | | | | |
| 11. CONTROLLING OFFICE NAME AND ACCRESS Defense Advanced Research Projects Agency | 12. REPORT DATE 14 May 1976 | | | | | | | | |
| Nuclear Monitoring Research Office | 13. NUMBER OF PAGES | | | | | | | | |
| 1400 Wilson BlvdArlington, Virginia 22209 | 15 | | | | | | | | |
| 14. MONITORI' AGENCY NAME & ADDRESS(If different from Controlling Office) | 15. SECURITY CLASS. (of thie report) | | | | | | | | |
| VELA Seismological Center 312 Montgomery Street | Unclassified | | | | | | | | |
| Alexandria, Virginia 22314 | 15a. DECLASSIFICATION OOWNGRADING SCHEDULE | | | | | | | | |
| 16. DISTRIBUTION STATEMENT (of this Report) | | | | | | | | | |
| APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED | | | | | | | | | |
| 17. DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, If different fro | m Report) | | | | | | | | |
| The big this state and the sta | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 18. SUPPLEMENTARY NOTES | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 19. KEY WORDS (Continue on reverse elde if necessery and identify by block number) | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 20. ABSTRACT (Continue on reverse sloe if necessery and identify by black number) | | | | | | | | | |
| | } | | | | | | | | |
| | 1 | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

SDCS EVENT REPORT NO. 85

NTS Event "ESROM", 04 February 1976

Using SDCS stations and LASA, the epicenter location and magnitudes for become resent Event and Magnitudes

Origin Time Lat. Long. m_b M_s
14:40:01.6 37.1N 116.0W 5.4 4.8


All SDCS stations were operational during this period.

The programs used for LASA, NORSAR and ALPA data recovery are presently undergoing modifications. Information for LASA short-period is reported from their Teleseism Event Report. The long-period array beam recovery for these stations will be resumed upon completion of these modifications.

Short-period signals associated with this event were recorded at all SDCS stations and LASA. All SP channels at HN-ME had polarity reversals; to correct this, mathematical inversions of the data were performed. Horizontal SP channels at all SDCS stations were rotated.

Long-period signals were recorded at all SDCS stations. All LP channels at HN-ME and the LP radial channel at RK-ON had polarity reversals; to correct this, mathematical inversions of the data were performed. Horizontal LP channels at all SDCS stations were rotated.

Scaling factors on plots are millimicrons at 1 Hz (not corrected for instrument response).



STATION DESCRIPTION

| | LOCATION | SITE COORDINATES DEG MN SECS | ELEVATION METERS | INSTRUMENTATION SHORT-PERIOD LONG- | TATION LONG-PERIOD |
|--------------------|----------------------------|---------------------------------|---------------------|---------------------------------------|-----------------------|
| Alaska | ત્યુ | 65 14 00.0 N 147 44 36.0 W | 979 | None | 31300 |
| McMi | McMinnville, Tennessee | 35 35 41.4 N 085 34 13.5 W | 574 | 6480 V 7515 H | SL210 V SL220 H |
| Fran West | Franklin, West Virginia | 38 32 58.0 N 079 30 47.0 W | 910 | KS36000 | KS36000 |
| Billing Montana | Billings, Montana | 46 41 19.0 N 106 13 20.0 W | - 1 | HS10 | 7505A V 8700C H |
| Hoult Maine | Houlton, Maine | 46 09 43.0 N 067 59 09.0 W | 213 | KS36000 | KS36000 |
| Kje] Norv | Kjeller, Norway | 60 49 25.4 N 010 49 56.5 E | 379 | HS10 | 7505A V 8700C H |
| Red | ked Lake, Ontario | 50 50 20.0 N 095 40 20.0 W | 366 | 18500 | SL210 V SL220 H |
| White Yukon | White Horse, Yukon | 60 41 41.0 N 154 58 02.0 W | 855 | 18300 | SL210 V SL220 H |

The orientation of the radial instruments at FN-WV is assumed to be 16° + 5° based on empirical data (event recordings). Rotation, where performed, is referenced to this azimuth and may be questionable. NC±e:

HYPOCENTER DETERMINATION

INPUT FOR EVENT 4 PEB 76
14:40:00.0 37.000N 116.000W 0KM.

| | | RES | INUALS | DIST. | AZ. | |
|-------|----------|---------|--------|-------|-------|--|
| STA. | ARRIVA | L CALC | REST | REST | REST | |
| LAO | 14 42 53 | .3 0.1 | 0.3 | 12.0 | 34.3 | |
| RK-ON | 14 44 45 | .6 -0.2 | -0.4 | 21.0 | 42.3 | |
| CPSO | 14 45 21 | .9 0.0 | 0.2 | 24.5 | 84.4 | |
| WH2YK | 14 45 39 | .3 -0.0 | 0.0 | 26.5 | 339.0 | |
| PN-WV | 14 46 00 | .0 -0.2 | -0.1 | 28.8 | 75.9 | |
| HN-ME | 14 47 08 | .0 0.3 | 0.0 | 36.5 | 60.3 | |

67 HERRIN TRAVEL TIME TABLES

ORIGIN LAT. LONG. DEPTH (KM) SDV IT STA 14:40:07.3 37.275N 115.945W 36. CALC 0.2 4 6 14:40:01.6 37.144N 116.034W 0. REST 0.3 2 6

| | | CAI | LC | .c | | | | | REST | | | | | | |
|---|---|-----|----|----|---|--|--|---|------|-----|---|---|---|--|--|
| | | 1 . | 0 | | | | | | | 1 . | 0 | | | | |
| | 0 | | | 0 | | | | | 0 | | | 0 | | | |
| 0 | | c. | 3 | | 2 | | | 0 | | 0. | 3 | | 2 | | |
| o | • | /) | ò | • | o | | | o | • | 0. | 0 | ٠ | ò | | |
| | C | • | | 0 | | | | | 0 | • | | 0 | | | |
| | | 0 . | 0 | | | | | | | 0 . | 0 | | | | |


CHI2 COVERAGE ELLIPSE; 95 PER CENT CONF..LEVEL, SDV= 1.79
MAJOR 68.2KM. MINOR 41.1KM. AZ= 35 AREA= 8809 SQ.KM. REST


DATA SUMMARY


INPUT FOR EVENT 4 PEB 76 14:40:00.0 37.000N 116.000W 0KM.


| | | | T 1/ 3 | | | | | HAG | NITUD | E | | | |
|-------|---------|------|--------|-------|-------------|------|---------|-------|--------|-----|-------|-------|-------|
| | 001100 | | IVA | | INST_ | PER | A/T_ | MB_ | M | | DIR | DIST | |
| STA | PHASE | | IME | | _T 10 5 T _ | | | | | | | | |
| LAO | EP | 14 4 | 2 5 | 3.3 | SAB | 99.9 | 9999. | | | | | | |
| RK-ON | EP | | 4 4 | | SPZ | 0.9 | 1384. | 5.94 | | | | 21.0 | |
| | LQ | | | 1.0 | LPT | 14.0 | 49. | | | | | | |
| NC-NA | LR | - | | 3.0 | LPZ | 12.0 | 215. | | 4.7 | 7 | | 21.0 | |
| RK-ON | EP | - | | 1.9 | SPZ | 1.1 | 385. | 5.69 | | | | 24.5 | |
| CPS0 | | - | | 3.0 | LPT | 18.0 | 190. | | | | | | |
| CPSO | LQ | | | 7.0 | LPZ | 15.0 | 365. | | 5.0 | 7 | | 24.5 | |
| CPSO | LR | | _ | 9.3 | SPZ | 0.8 | 38. | 4.73 | | | | 26.5 | |
| WH2YK | EP | | | 2.0 | LPT | 21.0 | 142. | | | | | | |
| WH2YK | LQ | | | 2.0 | LPZ | 17.0 | 171. | | 4.7 | 8 | | 25.5 | |
| WHZYK | LR | | | 00.0 | SPZ | 1.1 | 67. | 5.13 | } | | | 28.8 | |
| PN-WV | EP | - | | | LPT | 19.0 | 210. | | | | | | |
| FN-MA | LQ | | | 19.0 | | 17.0 | 205. | | 4.8 | 9 | | 28.8 | |
| FN-WV | LR | - | | 14.0 | LPZ | 1.1 | 234. | 5.62 | | | | 36.5 | |
| HN-ME | Eb | • | | 0.80 | SPZ | | 203. | 3.0. | • | | | | |
| HN-ME | ГĴ | | | 52.0 | LPT | 17.0 | 178. | | 4.9 | 3 | | 36.5 | |
| HN-ME | ΓR | 15 | 02 1 | 18.0 | LPZ | 14.0 | 1/0. | | 4. | , | | | |
| | | | _ | | 0.11.0 | 2521 | nu /KW1 | MAG | SDV | STA | LPMAG | LPSDV | LPSTA |
| CRC | GIN | LA | Г. | | ONG. | | PH (KM) | 5.39 | 0.51 | | 4.83 | 0.1 | 2 |
| 14: | 40:07.3 | 37. | 275 | N 115 | .945W | | CALC | 5.42 | 0.49 | | 4.83 | 0.1 | 2 |
| 14: | 40:01.5 | 37. | 1441 | N 116 | .034 | 0. | REST | J. 42 | U. W.J | , | 1 0 0 | • • • | |


Average long-period magnitude ($M_{\rm S}$) is based on Rayleigh wave observations in the period range of 17 to 23 seconds per cycle.
















TIME

14:50:00

Z Z





4 FEB 76

WH2YK

